

650^{GT}_{ABS}

2 YEAR WARRANTY

ON ALL MOTORCYCLE

Optional panniers shown.

 CFMOTO PAKISTAN

THE GRAND TOURER

GO THE GRAND DISTANCE IN A SPORTING SPIRIT

Whether it's leaning into endless apexes, inhaling craggy coastal corners or devouring day-long distances, the 650GT is ready and waiting. Adding to its grand-touring arsenal is a flexible 650cc parallel-twin engine; relaxed ergonomics; large, height-adjustable sportstouring screen and the availability of optional hard panniers for those quick, last-minute getaways.

FEATURES

- 649.3cc parallel twin, 8 valve, DOHC, counterbalance
- 41.5kW / 9500rpm and 62Nm / 7000rpm
- Superior performance with Bosch EFI
- 6-speed transmission
- Spanish JJuan hydraulic disc brakes
- Twin front 300mm discs, single rear 240mm disc
- Continental ABS braking system
- Front telescopic fork, rear cantilever monoshock
- Easy-to-read LCD display
- Sculptured by KISKA Design
- 795mm seat height
- 19L fuel tank
- CST radial tyres for stability and sharper steering
- Generous handlebar risers and rubber footpegs for added rider comfort and relaxed ergonomics
- Optional panniers available
- **2-year, 24000-kilometre warranty**



650^{GT}_{ABS}



Knight Black



Adjustable sports windscreen



Upgraded engine & slipper clutch



Pirelli tyres & Continental ABS brakes

Website: www.cfmotopakistan.com | E-mail: info@cfmotopakistan.com

Contact No: 0315-2000940 0333-3133300



SPECS



ENGINE TYPE	2-cylinder inline,4-stroke, liquid-cooled, DOHC
CAPACITY	692.2cc
MAX POWER	55kW / 8500rpm
MAX TORQUE	68Nm / 7000rpm
BORE & STORKE	83 x 64mm
COMPRESSION RATIO	11.6:1
COOLING	Liquid cooled
FUEL SUPPLY	Bosch EFI
IGNITION	ECU
GEARBOX	6-speed
SUSPENSION	Front: USD Fork, damping adjustable Rear Cantilever Suspension, preload & damping adjustable
BRAKE SYSTEM	Radial Mount Brake Caliper, Ø320mm single disc Floating Brake Caliper, Ø260mm single disc ABS(Continental)
ABS	
WHEEL/RIM	Front: 3.0 × 18 MT Rear: 5.5 × 17 MT
TYRE	Front: MT 60 RS 110/80 R18 (Pirelli) Rear: MT 60 RS 180/55 R17 (Pirelli)
DIMENSIONS (MM)	2100 x 860 x 1150 mm
WHEELBASE (MM)	1435 mm
GROUND CLEARANCE (MM)	160
MIN TURN DIA (M)	-
MAX PAYLOAD (KG)	150kg
SEAT HEIGHT (MM)	800 mm
FUEL (L)	13.5 L
WEIGHT (KG)	193 kg
WARRANTY	2 Year, 24000 Km
AVAILABLE COLOURS	Twilight Blue, Coal Grey

2-cylinder inline, 4-stroke, liquid-cooled, DOHC
693cc
55 kw / 8500rpm
68 N.m / 6500rpm
83.0 x 64.0mm
11.6:1
Liquid cooled
Bosch EFI
ECU
6-speed
Front: KYB 41mm USD. Preload, compression, rebound adjustable Rear: KYB cantilever, preload & damping adjustable
Front: Brembo Stylema caliper, 300mm dual-discs Rear: Brembo Stylema caliper, 300mm dual-disc
ABS
Front: MT 3.5 x 17MT Rear: MT 5.5 x 17MT
Front: 120/70 ZR17, MAXXIS MA-ST2 Rear: 180/55 ZR17, MAXXIS MA-ST2
2096 × 790 × 1130 mm
1435 mm
160 mm
-
150kg
795 mm
13 L
205 kg
2 Year, 24000 Km
Nebula White / Velocity Grey

2-Cylinder inline, Liquid-cooled, EFI, Eight Valves, DOHC
799 cc
95hp (70kW) / 9000rpm
77N.m/7500rpm
88.0×65.7 mm
12.7:1
Liquid-cooled
Bosch EFI
ECU
6-speed
Front:Upside down telescopic KYB fork: Adjustable preload, compression, rebound damping. Travel 160mm Rear: Single shock, adjustable damping, KYB Travel 150mm
Front: Double disc, JJuan, radial fixed caliper. 320mm. Rear: Single disc, JJuan. 260mm.
Continental ABS
Front: Aluminium Alloy Rim. Front 19" Rear: Aluminium Alloy Rim. Rear 17"
Front: 110/80 R19. Maxxis Tubeless Rear: 150/70 R17. Maxxis Tubeless
2234 x 853 x 1277
1531
≥ 190mm
-
-
≤ 825 mm
≥ 19L
≤ 231kg
2 Year, 24000 Km
Nebula Black / Twilight Blue

2-Cylinder inline, Liquid-cooled, EFI, Eight Valves, DOHC
799 cc
95hp (70kW) / 9000rpm
77N.m / 7500rpm
88.0 × 65.7 mm
12.7:1
Liquid cooled
Bosch EFI
ECU
6-speed
Front: Upside down telescopic KYB fork: Adjustable preload, compression, rebound damping. Travel 160mm Rear: Single shock, adjustable damping, KYB Travel 150mm
Front: Double disc, JJuan, radial fixed caliper. 320mm. Rear: Single disc, JJuan. 260mm.
Continental ABS
Front:Wire spoke wheels. Front 19" Rear: Wire spoke wheels. Rear 17"
Front: 110/80 R19. Maxxis Tubeless Rear: 150/70 R17. Maxxis Tubeless
2234 x 853 x 1277
1531
≥ 190mm
-
-
≤ 825 mm
≥ 19L
≤ 231kg
2 Year, 24000 Km
Twilight Blue

SPECS



650TR-G



650GT
ABS



650MT
ABS



400GT



ENGINE TYPE	2-cylinder inline, 4-stroke, Liquid-cooled, DOHC	2-cylinder inline, 4-stroke, liquid-cooled	2-cylinder inline, 4-stroke, liquid-cooled, DOHC	2-Cylinder inline, 4-stroke Liquid-cooled,
CAPACITY	649.3 cc	649.3 cc	649.3 cc	400 cc
MAX POWER	45kW / 8750rpm	41.5 kW / 8250 rpm	41.5 kW / 8250 rpm	31.5 kW / 9250 rpm
MAX TORQUE	56N m/7000rpm	54.4 N-m / 7000 rpm	54.4 N-m / 7000 rpm	36.5 N-m / 7500 rpm
BORE & STROKE	83 x 60.0 mm	83 x 60 mm	83 x 60 mm	68.4 x 54.5 mm
COMPRESSION RATIO	11.3:1	11.3:1	11.3:1	11.1 : 1
COOLING	Liquid cooled	Liquid cooled	Liquid cooled	Liquid-cooled
FUEL SUPPLY	Bosch EFI	Bosch EFI	Bosch EFI	Bosch EFI
IGNITION	ECU	ECU	ECU	ECU
GEARBOX	6-speed	6-speed	6-speed	6-speed
SUSPENSION	Front: WP USD adjustable Rear: WP central-mounted	Front: KYB Upright Front Suspension Rear: KYB Offset Rear Suspension	Front: USD Front Suspension Rear: Offset Rear Suspension	Front: Upright Suspension Rear: Offset Rear Suspension (preloading and damping adjustable)
BRAKE SYSTEM	Front: Dual Disc, J. Juan Double-piston Capiler Rear: Single Disc, J. Juan Single-piston Caliper	Front: Dual Disc, J. Juan Double-piston Caliper Rear: Single Disc, J. Juan Single-piston Caliper	Front: Dual Disc, J. Juan Double-piston Caliper Rear: Single Disc, J. Juan Single-piston Caliper	Front: Dual Disc, J. Juan, Dual-Piston Caliper Rear: Single disc, J. Juan, Single-piston Caliper
ABS	ABS (Continental)	ABS (Continental)	ABS (Continental)	ABS (Continental)
WHEEL/RIM	Front: Aluminum Alloy Rear: Aluminum Alloy	Front: 3.50 x 17 MT Rear: 4.50 x 17 MT	Front: 3.5 x 17 MT Rear: 4.5 x 17 MT	Front: 3.5 x 17 MT Rear: 4.5 x 17 MT
TYRE	Front: 120 / 70 ZR17 M/C Rear: 180 / 55 ZR17 M/C	Front: 120/70ZR17 Pirelli Rear: 160/60 ZR17 Pirelli	Front: 120/70 ZR17 M/C Pirelli GT Rear: 160/60 ZR17 M/C Pirelli GT	Front: 120/70 ZR17 CST Rear: 160/60 ZR17 CST
DIMENSIONS (MM)	2210 x 998 x 1360 mm	2100 x 784 x 1340 mm	2180 x 835 x 1332 mm	2100 x 784 x 1300 mm
WHEELBASE (MM)	1415 mm	1415	1425	1415 mm
GROUND CLEARANCE (MM)	-	150	170	150mm
MIN TURN DIA (M)	-	5.6	5.4	5.6m
MAX PAYLOAD (KG)	-	150	150	150 kg
SEAT HEIGHT (MM)	780 mm	795	820 / 840 mm (optional)	795 mm
FUEL (L)	22 L	19 L	18 L	19 L
WEIGHT (KG)	252 kg	226 kg	218 kg	226 kg
WARRANTY	2 Year, 24000 Km	2 Year, 24000 Km	2 Year, 24000 Km	2 Year, 24000 Km
AVAILABLE COLOURS	Nebula White	Nebula White, Midnight Black	Nebula White, Athens Blue	Nebula White, Athens Blue

SPECS



300SR
ABS



150NK
ABS



250NK
ABS



300NK
ABS



ENGINE TYPE	Single-cylinder, liquid-cooled, DOHC, 4 vales	Single-cylinder, 4-stroke, liquid-cooled, vertical	Single-cylinder, 4-stroke, liquid-cooled, vertical	Single-cylinder, 4-stroke, liquid-cooled, vertical
CAPACITY	292.4cc	149.5 cc	249 cc	292 cc
MAX POWER	20.5kW / 8750rpm	9.2 kW / 8250 rpm	19.5kW / 9200 rpm	20.5 kW / 8750 rpm
MAX TORQUE	25.0Nm / 7000rpm	11.5 N-m / 6500 rpm	22 N-m / 7250 rpm	25.0 N-m / 7000 rpm
BORE & STORKE	78 x 61.2	57.0 x 58.6	72 x 61.2	78 x 61.2
COMPRESSION RATIO	11 : 1	10.5:1	11.3:1	11.3:1
COOLING	Liquid cooled	Liquid water cooled	Liquid water cooled	Liquid cooled
FUEL SUPPLY	Bosch EFI	Bosch EFI	Bosch EFI	Bosch EFI
IGNITION	ECU	ECU	ECU	ECU
GEARBOX	6-speed	6-speed	6-speed	6-speed
SUSPENSION	Front: Ø37 Telescopic upside down, Hydraulic damping Rear: Mono Suspension, centre alligned	Front: USD Front Suspension Rear: Mono Suspension, centre alligned	Front: USD Front Suspension Rear: Mono Suspension, centre alligned	Front: USD Front Suspension Rear: Mono Suspension, centre alligned
BRAKE SYSTEM	Front: Ø292 mm Single disc, 4-piston Caliper Rear: Ø220 mm Single disc, Single-piston Floating Caliper	Front: Single-disc, 4-piston Caliper Rear: Single-disc, Single-piston Caliper	Front: Single-disc, 4-piston Caliper Rear: Single-disc, Single-piston Caliper	Front: Single-disc, 4-piston Caliper Rear: Single-disc, Single-piston Caliper
ABS	ABS (Continental)	ABS	ABS(Continental)	ABS (Continental)
WHEEL/RIM	Front: 3.0 × 17 MT Rear: 3.75 × 17 MT	Front: 2.5 × 17 MT Rear: 3.5 × 17 MT	Front: 3.5 × 17 MT Rear: 4.0 × 17 MT	Front: 3.5 × 17 MT Rear: 4.0 × 17 MT
TYRE	Front: 110/70 R17 Rear: 140/60 R17	Front: 100/80-17 M/C ZC RUBBER Rear: 130/70-17 M/C ZC RUBBER	Front: 110/70 R17 M/C CST S1 Rear: 140/60 R17 M/C CST S1	Front: 110/70 R17 M/C CST S1 Rear: 140/60 R17 M/C CST S1
DIMENSIONS (MM)	2010 x 750 x 1080 mm	2025 X 770 X 1070	1990 X 780 X 1070	1990 X 780 X 1070
WHEELBASE (MM)	1360	1360	1360	1360
GROUND CLEARANCE (MM)	135	150	150	150
MIN TURN DIA (M)	-	5	4.7	4.7
MAX PAYLOAD (KG)	150	150	150	150
SEAT HEIGHT (MM)	780	775	795	795
FUEL (L)	12 L	10 L	12.5 L	12.5 L
WEIGHT (KG)	165 kg	142 kg	151 kg	151 kg
WARRANTY	2 Year, 24000 Km	2 Year, 24000 Km	2 Year, 24000 Km	2 Year, 24000 Km
AVAILABLE COLOURS	Nebula Black, Nebula White, Turquoise Blue	Turquoise Blue, Matte Titanium Grey	Ultra Silver, Nebula Black	Ultra Silver, Nebula Black

SPECS



400NK
ABS



650NK
ABS



ENGINE TYPE	2-cylinder inline, 4-stroke, liquid-cooled, DOHC
CAPACITY	400 cc
MAX POWER	29.5 kW / 9500 rpm
MAX TORQUE	32 N-m / 7750 rpm
BORE & STROKE	68.4 x 54.5 mm
COMPRESSION RATIO	11.1 : 1
COOLING	Liquid-cooled
FUEL SUPPLY	Bosch EFI
IGNITION	ECU
GEARBOX	6-speed
SUSPENSION	Front: Upright Suspension Rear: Offset Rear Suspension (preloading and damping adjustable)
BRAKE SYSTEM	Front: Ø300mm Single Disc, J. Juan Double-piston Caliper Rear: Ø240mm Single Disc, J. Juan Single-piston Caliper
ABS	ABS (Continental)
WHEEL/RIM	Front: 3.5 x 17 MT Rear: 4.5 x 17 MT
TYRE	Front: 120/70 ZR17 M/C CST Rear: 160/60 ZR17 M/C CST
DIMENSIONS (MM)	2114 x 750 x 1100 mm
WHEELBASE (MM)	1415 mm
GROUND CLEARANCE (MM)	150
MIN TURN DIA (M)	5.4
MAX PAYLOAD (KG)	-
SEAT HEIGHT (MM)	780 mm
FUEL (L)	17 L
WEIGHT (KG)	206 kg
WARRANTY	2 Year, 24000 Km
AVAILABLE COLOURS	Nebula White / Athens Blue

ENGINE TYPE	2-cylinder inline, 4-stroke, liquid-cooled, DOHC
CAPACITY	649 cc
MAX POWER	41.5 kW / 8250 rpm
MAX TORQUE	54.4 N-m / 7000 rpm
BORE & STROKE	83 x 60
COMPRESSION RATIO	11.3:1
COOLING	Liquid cooled
FUEL SUPPLY	Bosch EFI
IGNITION	ECU
GEARBOX	6-speed
SUSPENSION	Front: KYB Upright Front Suspension Rear: KYB Offset Rear Suspension
BRAKE SYSTEM	Front: Ø300 mm Dual-disc, J. Juan Double-piston Caliper Rear: Ø240 mm Single-disc, J. Juan Single-piston Caliper
ABS	ABS (Continental)
WHEEL/RIM	Front: 3.5 x 17 MT Rear: 4.5 x 17 MT
TYRE	Front: 120/70 ZR17 M/C, Pirelli GT Rear: 160/60 ZR17 M/C, Pirelli GT
DIMENSIONS (MM)	2114 x 750 x 1100 mm
WHEELBASE (MM)	1415
GROUND CLEARANCE (MM)	150
MIN TURN DIA (M)	5.4
MAX PAYLOAD (KG)	150
SEAT HEIGHT (MM)	780
FUEL (L)	17 L
WEIGHT (KG)	193 kg
WARRANTY	2 Year, 24000 Km
AVAILABLE COLOURS	Nebula White, Athens Blue