

Honda Atlas Cars (Pakistan) Limited

43 km Multan Road, Manga Mandi, Lahore www.honda.com.pk


















Perforated Seats



4 Speakers and 2 Tweeters




Rear AC Vents and USB Ports (C Type)













LED Auto Headlights with DRL

LED Front Fog Lights





18" Alloy Wheel

Rain Sensor





New Style Front Grill (Body Colour)

Two Tone Body (with Black Roof)





Blue Outlined Emblem



Power Tailgate (Hands-free Access + Walkaway Close)

e:HEV Emblem




Red & Clear Lens Full LED





High Mount Stop Lamp

Rear Wiper







Wireless Charger



Dual Climate Control



Steering Switches



Headlight Adjuster



4.2" TFT Driver Information Interface



9" Android Base Infotainment System











LED Auto Headlights with DRL

Front LED Sequential Turn Signals







Front Camera

17" Alloy Wheel





New Style Front Grill (Body Colour)

High Ground Clearance





LED Red & Clear lens Rear Light







Tailgate Spoiler



High Moun Stop Lamp



Rear Camera

Emblem

HR-VEHEV Honda SENSING

SAFETY IS HONDA'S UTMOST PRIORITY







This system detects preceding cars, oncoming cars, motorbikes and pedestrians to support collision avoidance by using a front distance with a preceding car. When driving on a highway, the system supports acceleration and braking operation to reduce load on the driver.





RDM Road Departure Mitigation System

Road Departure Mitigation, or RDM System supports steering operation when the vehicle is likely to stray




LCDN Lead Car Departure Notification

At stops such as at a traffic light, it is a function to notify the driver about the departure of a preceding car.



LKAS Lane Keeping Assist System

LKAS is a function that reduces the driver's load by supporting steering operation to keep driving along the center of a lane while driving.



AHB Auto High Beam

When the headlight control is in the AUTO position, this system automatically turns on the high beam when there are no other vehicles detected. When another vehicle is detected, the high beam is automatically switched to low beam.
AVAILABLE IN ALL VARIANTS










6 Airbags- HR-V e: HEV


4 Air Bags- HR-V VTI and VTI-S

ADVANCED SAFETY

Smart. Secure. Assured. The HR-V e:HEV's cutting-edge safety features elevate driving confidence for both driver and passenger.




HDC (Hill Descent Control)



HSA (Hill Start Assist)







Agile Handling Assist (AHA)



Electric Parking Brake & Auto Brake Hold




Emergency Stop Light



Front & Rear Passenger Seat Belt Reminder



Rear Seat Reminder







Utility Mode 1

Utility Mode 2

Conveniently increase your truck capacity with boot-separator and foldable backseats



TECHNICAL SPECIFICATIONS

| | | 1201111071251 | Len remons | | | | |
|-------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|---------------------------------------------------------|------------------------------------------------------|--|--|--|
| Variant | | VTI | VTI-S | HEV-EL (e:HEV) | | | |
| Engine & Transmission | | | | | | | |
| Engine Type | | DOHC IN-VTC + IN-VTE | C(4 Valves per Cylinder) | DOHC IN E-VTC + IN -VTEC (4 Valves per Cylinder) | | | |
| Fuel Supply System | | | Programmed Fuel Injection (PGM FI) | | | | |
| Engine Displacement (cc) | | 1,498 | | | | | |
| Bore & Stroke (mm) | | | 73X89.5 | | | | |
| Compression Ratio | | 10.6:1 | | 13.5:1 | | | |
| Power (KW (HP) / RPM) | | 89 (119) | | 78(105)/6,000-6,400 | | | |
| Torque (N-m (Kg-m) /RPM) | | | 145 (14.8)/4,300 | | | | |
| Paddle Shift | | 143 (14.0)/4,300 | | 127(13)/4,500-5,000 O | | | |
| Idle Stop Switch | | | | 0 | | | |
| Emission Ratings | | | | EURO 6B | | | |
| Driving Mode | | | EURO 4 ECON+NORMAL | | | | |
| Transmission | | | | | | | |
| Electric Motor | | CVT (Continuously Variable Transmission) | | E-CVT (Electircal Continously Variable Transmission) | | | |
| Horspower kW (PS/RPM) | | | 96(131)/4,000-8,000 | | | | |
| Torque (N-m (Kg-m) /RPM) | | - | | 253(25.8)/0-3,500 | | | |
| | | - | | 253(25.6)/0-3,500 | | | |
| Battery Type | | | | Lithium-Ion | | | |
| Suspension | | - | | Littilatii-toti | | | |
| Front | | | Macpherson with Stabilizer | | | | |
| Rear | | | Torsion Beam | | | | |
| | | | TOISION Beam | | | | |
| Braking System | Т | | FR :Ventilated Disc, RR : Disk | | | | |
| Type | | | | | | | |
| Parking Brake Type Electic Servo Brake | | | Electric Parking Brake (EPB) with Auto Brake Hold (ABH) | 0 | | | |
| | | | | 0 | | | |
| Steering System Gear Type | The state of the s | | Deal & Dinion | | | | |
| | | | Rack & Pinion | | | | |
| Power Steering Type | | Occalent | Electric Power Steering (EPS) | Vedeble Occa Batte | | | |
| Steering Gear Box Minimum Turning Radius (m) | | Constant | Gear Ratio | Variable Gear Ratio | | | |
| Minimum Turning Radius (m) | | | 5.5 | 1 11 (0.11) | | | |
| 0 | Material | Ureth | | Leather (Split Smooth) | | | |
| Steering Wheel | Adjustment | Tilt & Telescopic | | | | | |
| | Controls | Audio + HFT + VR + ACC + LKAS | | | | | |
| Dimensions & Weight | | | 4.004 | | | | |
| Overall Length (mm) | | | 4,361 | | | | |
| Overall Width (mm) | | | 1,790 | | | | |
| Overall Height (mm) | | | 1,591 | | | | |
| Wheel Base (mm) | | | 2,610 | | | | |
| Tread (Front / Rear) (mm) | | 1,548/ | | 1,537/1,543 | | | |
| Ground Clearance (mm) | | | 196 | | | | |
| Seating Capacity (No. of Pers | sons) | 5 | | | | | |
| Fuel Tank Capacty (L) | | 40 | | | | | |
| Exterior | | | | | | | |
| | Туре | | LED O | | | | |
| | Daytime Running Lights (DRL) | | | | | | |
| Headlights | Auto Off Timer | | 0 | | | | |
| | Auto Head Light | | 0 | | | | |
| | Front Turn Type | LED Without Sequential | LED With Sequential | LED Without Sequential | | | |
| | Head Light Adjuster Type | | Manual | | | | |
| Roof Antenna | | | Shark Fin | | | | |
| Front Fog Lights | | - LED | | | | | |
| Side Turn Indicator | | Door Mirror Integrated (LED) | | | | | |
| One Touch Lane Change | | | | | | | |
| Rear Light | | Red & C | Red & Clear Lens Full LED | | | | |
| Electrically Adjustable Door Mirrors | | 0 | | | | | |
| Remote Rectractable Mirrors | | 0 | | | | | |
| Door Mirrors Color | | Body Color | | | | | |
| Door Handles Color | | Body Color | | | | | |
| Wind Shield Acoustic Glass(F | ront) | - 0 | | | | | |
| Tima Onicia / todastio Olassii 1011t) | | | | | | | |

TECHNICAL SPECIFICATIONS

| Variant | | VTI | VTI-S | HEV-EL (e:HEV) | | |
|----------------------------------------|--------------------------------------------|--------------------------------------------------|------------------------------------------------------------|------------------------------------------------|--|--|
| Exterior | | | | | | |
| Tail Gate Spoiler | | | 0 | | | |
| Tail Gate | | | 0 | Power (Hands Free Access + Walk Away Close) | | |
| Front Wipers | | O Auto (Rain Sensor) | | | | |
| Rear Wiper | | O (with Reverse Linked) | | | | |
| Front Grill Color | | Black Painted Body Color Painted | | | | |
| Bumper Skid Garnish | | Non Painted Sharp Silver Painted | | | | |
| Bumper Lower Fro | l l | Non Painted | Painted Black | Non Painted | | |
| Door Lower Garnis | | Non Painted | Painted Black | Non Painted | | |
| Wheel Size and Type | | 17X7 J Alloy Black Cut | 17X7 J Alloy Grey Paint | 18X7.5 J Alloy Black CUT | | |
| Tyre Size | | | | 225/50R18 | | |
| Spare Wheel | | 17" Alloy TRK (Temporary Repair Kit) | | | | |
| One Push Start | | 0 | | | | |
| Keyless Entry | | | O (Smart Entry) | | | |
| Interior | | | | | | |
| Interior Color | | Black | | | | |
| | Туре | 9" Touch Screen (MP5) | 9" Android | based Navigation | | |
| | Front Camera | - | | 0 | | |
| Audio | Rear Camera | - | | 0 | | |
| | Web Cam | - | | 0 | | |
| | Speakers | 4 Sr | peaker | 4 Speaker + 2 Tweeter | | |
| | Type | | FT Meter | 7" TFT Meter | | |
| Instrument Cluster | Multi Information Display | · ··- | 0 | | | |
| Air Conditioning Sy | | Auto Aircon (Rear Ventilation) | Dual Auto Aircon (Rear Ventilation) | Auto Aircon (Rear Ventilation) | | |
| Air Diffusion Syste | | Auto Alicon (Real Ventilation) | O | Auto Alicon (Real Ventilation) | | |
| tii Diliusion Oysto | Height Adjuster | Driver Side (Manual) | | | | |
| Seats | Material | Fabric Hi-Grade Hi-Grade with Perforated Leather | | | | |
| Seals | Seat Back Pockets | I ablic | Driver & Passenger Seats | TII-Glade With Fellolated Leather | | |
| Power Window | | | All Auto | | | |
| Handle Color Insid | | Up/Down Auto All Auto Platinum Chrome | | | | |
| Power Door Locks | | | Driver Only | | | |
| 1 OWEI DOOI LOCKS | Front Map Light | Driver Only O | | | | |
| Interior Lights | Center Console Light (Front) | 0 | | | | |
| interior Lights | | | | | | |
| Cargo Light Roof Ambient Light (Front) | | O (LED) | | | | |
| Rear View Mirror | it (FIOIIL) | Doy 9 Night (Manual) | | ne Auto Dimming | | |
| | | Day & Night (Manual) | | | | |
| Sunvisor Select Knob | | | & Passenger (with Vanity Mirror) & Slide Mechanism (with T | | | |
| | | | thane | Leather | | |
| Wireless Charger | | - | | 0 | | |
| Rear USB Port | | <u>-</u> | | (C-Type) | | |
| Front Accessory S | | 0 | | | | |
| Armrest | Front Center Console | | With Cup Holders | | | |
| | Rear Seat | Foldable with Cup Holders | | | | |
| Grab Rail | | 4 | | | | |
| Coat Hanger | | O (Left/Right) | | | | |
| Safety & Security | | | | | | |
| | Collision Mitigation Braking System (CMBS) | 0 | | | | |
| | Adaptive Cruise Control (ACC) with | 0 | | | | |
| Honda Sensing E | Low Speed Following (LSF) | | | | | |
| | Lane Keep Assist System (LKAS) | 0 | | | | |
| | Road Departure Mitigation (RDM) | 0 | | | | |
| | Auto High Beam (AHB) | 0 | | | | |
| | Lead Car Departure Notification (LCDN) | 0 | | | | |
| Anti-Lock Braking System (ABS) | | O (With Electronic Brake-Force Distribution) | | | | |
| SRS Airbags | | 4 (Driver/Passe | nger & Front Side) | 6 (Driver/Passenger/ Front Side & Side Curtain | | |
| Vehicle Stability Assist (VSA) | | O (With Traction Control) | | | | |
| Hill Start Assist (HSA) | | 0 | | | | |
| Hill Decsent Control (HDC) | | 0 | | | | |
| Till Decaetil Colli | | 0 | | | | |

TECHNICAL SPECIFICATIONS

| Variant | VTI | VTI-S | HEV-EL (e:HEV) | | |
|--------------------------------------------------------|------------------------------------|-------|----------------|--|--|
| Safety & Security | | | | | |
| Emergency Stop Signal (ESS) | 0 | | | | |
| High Mount Stop Lamp | O (LED) | | | | |
| Auto Door Lock by Speed | 0 | | | | |
| Seat Belt Reminder | O (Driver/Passanger & 2nd Row) | | | | |
| Seat Belts Front | Front 3 Point (Driver & Passanger) | | | | |
| Rear | 3 Point x 3 | | | | |
| Brake Override System | O (with Warning) | | | | |
| Rear Seat Reminder | 0 | | | | |
| Walk Away Auto Locking | 0 | | | | |
| Child Lock | 0 | | | | |
| ISO-FIX | | 0 | | | |
| Immobilizer | 0 | | | | |
| Security Alarm | 0 | | | | |
| Optional Features | | | | | |
| Hi- Grade Seats | 0 | | - | | |
| 9" Android Navigation (with Rear, Front & Web Cameras) | 0 | | - | | |
| Rear Camera | 0 | | - | | |
| Front Fog Lights | O (LED) | | - | | |
| Meteoroid Grey Color | | 0 | | | |
| 2 Tone Exterior Color (Ignite Red) | - | | 0 | | |
| 2 Tone Exterior Color (Morning Mist Blue) | - | | 0 | | |
| 2 Tone Exterior Color (Meteoroid Grey) | - | | 0 | | |
| Burgundy Interior | 0 - | | | | |
| Door Visors | 0 | | | | |
| Floor Mats | 0 | | | | |
| Cargo Tray | 0 | | | | |
| Kit Front Under Spoiler | 0 | | | | |
| Kit Side Lower Garnish | 0 | | | | |
| Kit Rear Under Spoiler | 0 | | | | |

























Honda Atlas Cars (Pakistan) Limited reserves the right to change or modify equipment or specifications at any time without prior notice. Details, colors, descriptions and illustrations are for information purpose only. Optional features are subject to prices. For further details please check with your nearest Honda 3S dealerships or visit www.honda.com.pk

Mobile App available on App Store for both Android and iOS

www.honda.com.pk f /hacpl





[6]/hondapakistanofficial
[6]/HondaAtlasCarsPakistanLimited